

Bristol Bay Sockeye Salmon Fishery


Port Moller Sockeye Salmon Stock Composition Summary

July 1–2, 2019 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 1–2, 2019. A total of 463 fish were sampled and 190 were analyzed (189 had adequate data to include in the analysis).


Reporting Group	Stock Composition	90% Confidence Intervals	
	Estimate	Lower	Upper
North Peninsula	8.9%	4.6%	13.8%
Ugashik	0.4%	0.0%	2.9%
Egegik	27.1%	19.7%	35.6%
Naknek	14.2%	8.9%	20.2%
Alagnak	0.0%	0.0%	0.0%
Kvichak	15.0%	8.2%	21.9%
Nushagak	10.0%	4.3%	16.6%
Wood	23.3%	16.6%	30.2%
Igushik	0.6%	0.0%	4.9%
Togiak	0.0%	0.0%	0.0%
Kuskokwim	0.3%	0.0%	1.5%

Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 1–2, 2019 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.


Historical Comparison of Stock Composition Estimates



Historical Comparison of Stock Composition Estimates



Historical Comparison of Stock Composition Estimates



Historical Comparison of Stock Composition Estimates

